



SHOWPRO

Alligator

LEDALL100

Double-sided beam/wash/strobe moving bar with infinite pan and tilt

This innovative lighting fixture boasts a double-sided design, offering unparalleled flexibility and adaptability for various applications. It can serve as a beam, wash, and strobe moving bar, allowing you to achieve captivating lighting effects with ease. The front panel delivers powerful illumination with a zoom range of 3-37 degrees, perfecting for creating stunning wash effects of precise beam projections. The back panel features an intense strobe effect that adds excitement and energy to your lighting display, making it ideal for high energy events and performances. This LED hybrid moving bar boasts infinite pan and tilt capabilities, allowing for rapid and seamless movement across the stage or venue. This feature enables dynamic and captivating lighting sequences, effortlessly.




Specifications

Light Source:	420W LED (Front) 700W (Rear)	Zoom:	3-37° motorized
Output:	9600lm (Front) 18000lm (Rear)	Dimming:	4 dimming curves
Colour Temperature:	8000K	Strobe:	0~30Hz
Beam Angle:	3°~37° (Front), 70° (Rear)	Control:	DMX/RDM/ArtNet
LED Life:	20K hrs	Data Connections:	5 Pin XLR IN/OUT for DMX RJ45 connections for ArtNet
Colour Mixing:	RGBW, CW, WW + RGBW	Power Connections:	PowerCon IN
CTO:	2800k ~ 8000k	Dimension:	713 x 244 x 451 mm
CRI:	70/90 (CRI)	Weight:	27.1 kg

Photometrics


Front Panel



3°					
Distance(m)	3	5	7	10	20
Illuminance(lux)	52000	27600	18600	11800	1170
Diameter(cm)	ø 15	ø 25	ø 35	ø 50	ø 100

37°					
Distance(m)	3	5	7	10	20
Illuminance(lux)	2000	720	367	180	45
Diameter(cm)	ø 202	ø 336	ø 471	ø 673	ø 1346

Back Panel



70°					
Distance(m)	3	5	7	10	20
Illuminance(lux)	810	291	148	73	32
Diameter(cm)	ø 420	ø 700	ø 980	ø 1400	ø 2100